Neuroscience Letters, 152 (1993) 195–197
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Alexandrova, N., see Wong, L., 96
Anadón, R., see Gómez-Márquez, J., 41
Anantharam, V., see Koltchine, V., 13
Arakawa, Y., see Yamamoto, M., 37
Araneda, R.C., Zukin, R.S. and Bennett, M.V.L., Effects of polyamines on NMDA-induced currents in rat hippocampal neurons: a whole-cell and single-channel study, 107
Arvanov, V.L., Ling, K.-H., Chen, R.-C. and Tsai, M.-C., Effects of territrem-B on cholinergic responses of snail neuron, 69
Asanuma, M., see Ogawa, N., 173
Ayala, A., see Vizuete, M.L., 113

Barbin, G., Pollard, H., Gaïarsa, J.L. and Ben-Ari, Y., Involvement of $GABA_A$ receptors in the outgrowth of cultured hippocampal neurons, 150
Bayley, H., see Koltchine, V., 13
Becherer, U., see Lehmann, S., 57
Ben-Ari, Y., see Barbin, G., 150
Bendahan, G., Boatell, M.L. and Mahy, N., Decreased cortical octopamine level in basal forebrain lesioned rats: a microdialysis study, 45
Bennett, M.V.L., see Araneda, R.C., 107
Bijlani, V., see Hayaran, A., 99
Block, F., see Schwarz, M., 81
Boatell, M.L., see Bendahan, G., 45
Bouras, C., see Hof, P.R., 145
Bufler, J., Franke, C., Witzemann, V., Ruppersberg, J.P., Merlitze, S. and Dudel, J., Desensitization of embryonic nicotinic acetylcholine receptors expressed in *Xenopus* oocytes, 77
Bui, V., see Summy-Long, J.Y., 190

Cai, N.-s., see Erdő, S.L., 84
Caminos, E., see Vecino, E., 91
Cano, J., see Vizuete, M.L., 113
Carboni, S., Isola, R., Gessa, G.L. and Rossetti, Z.L., Ethanol prevents the glutamate release induced by *N*-methyl-D-aspartate in the rat striatum, 133
Cass, W.A. and Zahniser, N.R., Cocaine levels in striatum and nucleus accumbens: augmentation following challenge injection in rats withdrawn from repeated cocaine administration, 177
Celio, M.R., see Hof, P.R., 145
Chen, R.-C., see Arvanov, V.L., 69

Daly, D.A. and Moghaddam, B., Actions of clozapine and haloperidol on the extracellular levels of excitatory amino acids in the prefrontal cortex and striatum of conscious rats, 61
De Groat, W.C., see Kruse, M.N., 141
De Groat, W.C., see Vizzard, M.A., 72
Delgado-García, J.M., see Gruart, A., 87
Denoroy, L., see Morin, A.J., 121
Derer, M., see Derer, P., 21
Derer, P. and Derer, M., Ontogenesis of NADPH-diaphorase neurons in the mouse forebrain, 21
Dudel, J., see Bufler, J., 77

Eckert, A., see Hartmann, H., 181
Erdman, S.L., see Vizzard, M.A., 72
Erdő, S.L., Cai, N.-s. and Lakics, V., Medium-dependent dissociation of cytotoxic and GABA-releasing effects of *N*-methyl-D-aspartate (NMDA), α-amino-3-hydroxy-5-methyl-4-isoxazolepropionate (AMPA) and kainate in rat cortical cultures, 84

Felsenstein, K.M. and Lewis-Higgins, L., Processing of the β-amyloid precursor protein carrying the familial, Dutch-type, and a novel recombinant C-terminal mutation, 185
Flanagan, J.R., Tresilian, J. and Wing, A.M., Coupling of grip force and load force during arm movements with grasped objects, 53
Fong, Q., see Wong, L., 96
Fong, T.M., see Seabrook, G.R., 9
Franke, C., see Bufler, J., 77
Furuyama, T., see Kawano, M., 158

Gaïarsa, J.L., see Barbin, G., 150
Gallagher, J.P., see Sorenson, E.M., 137
Galway, G., see Wong, L., 96
García-Briñon, J., see Vecino, E., 91
George-Hyslop, P.S., see Wong, L., 96
Gessa, G.L., see Carboni, S., 133
Gómez-Márquez, J., Pedrares, J.I., Otero, A. and Anadón, R., Prominent expression of the actin-sequestering peptide Fx gene in the hippocampal region of rat brain, 41
Grignaschi, G., Mantelli, B. and Samanin, R., The hypophagic effect of restraint stress in rats can be mediated by $5\text{-}HT_2$ receptors in the paraventricular nucleus of the hypothalamus, 103
Gruart, A., Zamora, C. and Delgado-García, J.M., Response diversity of pontine and deep cerebellar nuclear neurons to air puff stimulation of the eye in the alert cat, 87

Handwerker, H.O., see Koppert, W., 117
Hartmann, H., Eckert, A. and Müller, W.E., Aging enhances the calcium sensitivity of central neurons of the mouse as an adaptive response to reduced free intracellular calcium, 181
Hashimoto, A., Nishikawa, T., Konno, R., Niwa, A., Yasumura, Y., Oka, T. and Takahashi, K., Free D-serine, D-aspartate and D-alanine in central nervous system and serum in mutant mice lacking D-amino acid oxidase, 33
Hashimoto, K., Effects of benzylpiperazine derivatives on the acute effects of 3,4-methylenedioxymethamphetamine in rat brain, 17
Hayaran, A., Wadhwa, S. and Bijlani, V., Expression of substance P in dentate nucleus of human cerebellum, 99
Hof, P.R., Nimchinsky, E.A., Celio, M.R., Bouras, C. and Morrison, J.H., Calretinin-immunoreactive neocortical interneurons are unaffected in Alzheimer's disease, 145
Hökfelt, T., see Xu, X.-J., 129
Houtani, T., see Sugimoto, T., 25
Hughes, J., see Xu, X.-J., 129
Hyman, B.T., see Rebeck, G.W., 165

Ikeda, M., see Sugimoto, T., 25
Inagaki, S., see Kawano, M., 158
Isola, R., see Carboni, S., 133

Jiang, L., see Wong, L., 96
Jouvet, M., see Morin, A.J., 121
Jürgens, U. and Lu, C.-L., Interactions between glutamate, GABA,

acetylcholine and histamine in the periaqueductal gray's control of vocalization in the squirrel monkey, 5

Kadekaro, M., see Summy-Long, J.Y., 190
Kawano, M., Sugita, O., Inagaki, S., Furuyama, T. and Takagi, H., Neuropeptide Y innervation in the spinal nucleus of bulbocavernosus of the rat, 158
Kimata, K., see Yamamoto, M., 37
Kleschevnikov, A.M. and Marchbanks, R.M., Behavioral parameters of the spatial memory correlate with the potentiation of the population spike, but not with the population excitatory postsynaptic potential, of the CA1 region in rat hippocampal slices, 125
Koehler, E., see Summy-Long, J.Y., 190
Koltchine, V., Anantharam, V., Wilson, A., Bayley, H. and Treistman, S.N., Homomeric assemblies of NMDAR1 splice variants are sensitive to ethanol, 13
Kondo, Y., see Ogawa, N., 173
Konno, R., see Hashimoto, A., 33
Koppert, W., Reeh, P.W. and Handwerker, H.O., Conditioning of histamine by bradykinin alters responses of rat nociceptor and human itch sensation, 117
Kruse, M.N. and De Groat, W.C., Spinal pathways mediate coordinated bladder/urethral sphincter activity during reflex micturition in decerebrate and spinalized neonatal rats, 141

Lakics, V., see Erdő, S.L., 84
Lara, J., see Vecino, E., 91
Lehmann, S., Quirosa-Guillou, C., Becherer, U., Thal, C. and Zanetta, J.-P., Neurite Outgrowth of neurons of rat dorsal root ganglia induced by new neurotrophic substances with guanidine group, 57
Lehmenkühler, A., see Richter, F., 65
Levius, O., see Linial, M., 155
Lewis-Higgins, L., see Felsenstein, K.M., 185
Li, M., see Yamamoto, M., 37
Li, Y.-Q., Takada, M. and Mizuno, N., Premotor neurons projecting simultaneously to two orofacial motor nuclei by sending their branched axons. A study with a fluorescent retrograde double-labeling technique in the rat, 29
Liang, Y., see Wong, L., 96
Ling, K.-H., see Arvanov, V.L., 69
Linial, M. and Levius, O., The protein VAT-1 from *Torpedo* electric organ exhibits an ATPase activity, 155
Lu, C.-L., see Jürgens, U., 5
Lukiw, W., see Wong, L., 96

Machado, A., see Vizuete, M.L., 113
Mahy, N., see Bendahan, G., 45
Mantelli, B., see Grignaschi, G., 103
Mantz, S., see Summy-Long, J.Y., 190
Marchbanks, R.M., see Kleschevnikov, A.M., 125
Marzloff, K., see Rebeck, G.W., 165
May, P.C. and Robison, P.M., GYKI 52466 protects against non-NMDA receptor-mediated excitotoxicity in primary rat hippocampal cultures, 169
McLachlan, D.C., see Wong, L., 96
Merlitze, S., see Bufler, J., 77
Mitsuma, T., see Yamamoto, M., 37
Mizukawa, K., see Ogawa, N., 173
Mizuno, N., see Li, Y.-Q., 29
Moghaddam, B., see Daly, D.A., 61
Mori, A., see Ogawa, N., 173
Morin, A.J., Denoroy, L. and Jouvet, M., Daily variations in concentration of vasoactive intestinal peptide immunoreactivity in hypothalamic nuclei of rats rendered diurnal by restricted-schedule feeding, 121
Morrison, J.H., see Hof, P.R., 145
Müller, W.E., see Hartmann, H., 181

Nagy, K., Cyclic nucleotides and inositol trisphosphate activate different components of the receptor current in *Limulus* ventral nerve photoreceptors, 1
Nimchinsky, E.A., see Hof, P.R., 145
Nishikawa, T., see Hashimoto, A., 33
Niwa, A., see Hashimoto, A., 33

Ogawa, N., Tanaka, K.-i., Kondo, Y., Asanuma, M., Mizukawa, K. and Mori, A., The preventive effect of cyclosporin A, an immunosuppressant, on the late onset reduction of muscarinic acetylcholine receptors in gerbil hippocampus after transient forebrain ischemia, 173
Oka, T., see Hashimoto, A., 33
Otero, A., see Gómez-Márquez, J., 41

Paloff, A.M., Vankova, M.E. and Tramu, G., Neurotensin immunoreactivity in the colliculus inferior of cat: light and electron microscopic investigations, 48
Pedrares, J.I., see Gómez-Márquez, J., 41
Penney Jr., J.B., see Standaert, D.G., 161
Pollard, H., see Barbin, G., 150
Puke, M.J.C., see Xu, X.-J., 129

Quirosa-Guillou, C., see Lehmann, S., 57

Rebeck, G.W., Marzloff, K. and Hyman, B.T., The pattern of NADPH-diaphorase staining, a marker of nitric oxide synthase activity, is altered in the perforant pathway terminal zone in Alzheimer's disease, 165
Reeh, P.W., see Koppert, W., 117
Richter, F. and Lehmenkühler, A., Spreading depression can be restricted to distinct depths of the rat cerebral cortex, 65
Robison, P.M., see May, P.C., 169
Rogaev, E., see Wong, L., 96
Rogaeva, E., see Wong, L., 96
Rossetti, Z.L., see Carboni, S., 133
Ruppersberg, J.P., see Bufler, J., 77

Samanin, R., see Grignaschi, G., 103
Sato, K., see Sugimoto, T., 25
Schwarz, M. and Block, F., Visual evoked potentials in the rat quinolinic acid model of Huntington's disease, 81
Seabrook, G.R. and Fong, T.M., Thapsigargin blocks the mobilisation of intracellular calcium caused by activation of human NK1 (long) receptors expressed in chinese hamster ovary cells, 9
Smith, J., see Wong, L., 96
Sobue, G., see Yamamoto, M., 37
Sorenson, E.M. and Gallagher, J.P., The reducing agent dithiothreitol (DTT) does not abolish the inhibitory nicotinic response recorded from rat dorsolateral septal neurons, 137
Standaert, D.G., Testa, C.M., Penney Jr., J.B. and Young, A.B., Alternatively spliced isoforms of the NMDAR1 glutamate receptor subunit: differential expression in the basal ganglia of the rat, 161
Steffen, V., see Vizuete, M.L., 113
Sugimoto, T., Sato, K., Houtani, T., Ueyama, T. and Ikeda, M., On the expression of Fos-like protein in the subthalamic nucleus and basal

ganglia output systems following kainic acid injections into the rodent striatum, 25
Sugita, O., see Kawano, M., 158
Summy-Long, J.Y., Bui, V., Mantz, S., Koehler, E., Weisz, J. and Kadekaro, M., Central inhibition of nitric oxide synthase preferentially augments release of oxytocin during dehydration, 190

Takada, M., see Li, Y.-Q., 29
Takagi, H., see Kawano, M., 158
Takahashi, K., see Hashimoto, A., 33
Tanaka, K.-i., see Ogawa, N., 173
Testa, C.M., see Standaert, D.G., 161
Thal, C., see Lehmann, S., 57
Tramu, G., see Paloff, A.M., 48
Treistman, S.N., see Koltchine, V., 13
Tresilian, J., see Flanagan, J.R., 53
Tsai, M.-C., see Arvanov, V.L., 69
Tsuda, T., see Wong, L., 96

Ueyama, T., see Sugimoto, T., 25

Vankova, M.E., see Paloff, A.M., 48
Vecino, E., García-Briñon, J., Velasco, A., Caminos, E. and Lara, J., Calbindin D-28K distribution in the retina of the developing trout (*Salmo fario* L.), 91
Velasco, A., see Vecino, E., 91
Verge, V.M.K., see Xu, X.-J., 129
Vizuete, M.L., Steffen, V., Ayala, A., Cano, J. and Machado, A., Protective effect of deprenyl against 1-methyl-4-phenylpyridinium neurotoxicity in rat striatum, 113
Vizzard, M.A., Erdman, S.L. and De Groat, W.C., Localization of NADPH-Diaphorase in pelvic afferent and efferent pathways of the rat, 72

Wadhwa, S., see Hayaran, A., 99
Weisz, J., see Summy-Long, J.Y., 190
Wiesenfeld-Hallin, Z., see Xu, X.-J., 129
Wilson, A., see Koltchine, V., 13
Wing, A.M., see Flanagan, J.R., 53
Witzemann, V., see Bufler, J., 77
Wong, L., Liang, Y., Jiang, L., Tsuda, T., Fong, Q., Galway, G., Alexandrova, N., Rogaeva, E., Lukiw, W., Smith, J., Rogaev, E., McLachlan, D.C. and George-Hyslop, P.S., Mutation of the gene for the human lysosomal serine protease cathepsin g is not the cause of aberrant *APP* processing in familial Alzheimer disease, 96

Xu, X.-J., Puke, M.J.C., Verge, V.M.K., Wiesenfeld-Hallin, Z., Hughes, J. and Hökfelt, T., Up-regulation of cholecystokinin in primary sensory neurons is associated with morphine insensitivity in experimental neuropathic pain in the rat, 129

Yamamoto, M., Sobue, G., Li, M., Arakawa, Y., Mitsuma, T. and Kimata, K., Nerve growth factor (NGF), brain-derived neurotrophic factor (BDNF) and low-affinity nerve growth factor receptor (LNGFR) mRNA levels in cultured rat Schwann cells; differential time- and dose-dependent regulation by cAMP, 37
Yasumura, Y., see Hashimoto, A., 33
Young, A.B., see Standaert, D.G., 161

Zahniser, N.R., see Cass, W.A., 177
Zamora, C., see Gruart, A., 87
Zanetta, J.-P., see Lehmann, S., 57
Zukin, R.S., see Araneda, R.C., 107

CONTENTS *(continued from the back cover)*

Visual evoked potentials in the rat quinolinic acid model of Huntington's disease
M. Schwarz and F. Block (FRG) 81
Medium-dependent dissociation of cytotoxic and GABA-releasing effects of *N*-methyl-D-aspartate (NMDA), α-amino-3-hydroxy-5-methyl-4-isoxazolepropionate (AMPA) and kainate in rat cortical cultures
S.L. Erdő, N.-s. Cai and V. Lakics (Hungary, FRG) 84
Response diversity of pontine and deep cerebellar nuclear neurons to air puff stimulation of the eye in the alert cat
A. Gruart, C. Zamora and J.M. Delgado-García (Spain) 87
Calbindin D-28K distribution in the retina of the developing trout (*Salmo fario* L.)
E. Vecino, J. García-Briñon, A. Velasco, E. Caminos and J. Lara (Spain) 91
Mutation of the gene for the human lysosomal serine protease cathepsin g is not the cause of aberrant *APP* processing in familial Alzheimer disease
L. Wong, Y. Liang, L. Jiang, T. Tsuda, Q. Fong, G. Galway, N. Alexandrova, E. Rogaeva, W. Lukiw, J. Smith, E. Rogaev, D.C. McLachlan and P.S. George-Hyslop (Canada) 96
Expression of substance P in dentate nucleus of human cerebellum
A. Hayaran, S. Wadhwa and V. Bijlani (India) 99
The hypophagic effect of restraint stress in rats can be mediated by 5-HT_2 receptors in the paraventricular nucleus of the hypothalamus
G. Grignaschi, B. Mantelli and R. Samanin (Italy) 103
Effects of polyamines on NMDA-induced currents in rat hippocampal neurons: a whole-cell and single-channel study
R.C. Araneda, R.S. Zukin and M.V.L. Bennett (USA) 107